

## NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 06/08/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to [tracy.sargent@state.de.us](mailto:tracy.sargent@state.de.us). Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: [www.awm.delaware.gov](http://www.awm.delaware.gov)

### **NEWS UPDATES:**

**DNREC TO HOLD PUBLIC INFORMATION MEETING ON JUNE 15 (WILMINGTON) ON UNIVERSAL RECYCLING IN DELAWARE** – The Solid and Hazardous Waste Management Section (SHWMS) will hold a public information meeting June 15 in Wilmington to provide information and answer questions on Delaware's new Universal Recycling Law. The new law establishes a comprehensive statewide system of recycling that with full implementation will include effective and convenient recycling programs for every Delaware residence and business. The meeting will be held from 6:30 to 7:30 p.m. at the Brandywine Hundred Library on Foulk Road in Wilmington. For additional information, please contact Shannon Splittorff at (302) 739-9403 or visit:

[http://www.dnrec.delaware.gov/News/Pages/DNREC\\_to\\_hold\\_universal\\_recycling\\_public\\_meetings\\_June\\_7\\_and\\_15.aspx](http://www.dnrec.delaware.gov/News/Pages/DNREC_to_hold_universal_recycling_public_meetings_June_7_and_15.aspx)

**DNREC'S NEXT SCRAP TIRE DROP-OFF DAY JUNE 25 AT DELDOT'S AREA 9 MAINTENANCE YARD IN MIDDLETOWN** – The Solid and Hazardous Waste Branch (SHWMB) will host a Scrap Tire Drop-off Day for Delaware residents June 25 at DeIDOT's Area 9 maintenance yard in Middletown from 8 a.m. to 2 p.m., rain or shine. DNREC's previous five drop-off events have collected nearly 112 tons or 8,800 scrap tires for recycling, which prevents them from potential harm of the environment and from any hazard to human health – and from ending up in unsightly scrap tire piles or from taking up valuable space in a landfill. For additional information, please contact Crystal Smith at (302) 739-9403 or visit:

[http://www.dnrec.delaware.gov/News/Pages/Next\\_DNREC\\_Scrap\\_Tire\\_Drop-off\\_Day\\_June\\_25\\_at\\_DeIDOT\\_Area\\_9\\_maintenance\\_yard\\_in\\_Middletown.aspx](http://www.dnrec.delaware.gov/News/Pages/Next_DNREC_Scrap_Tire_Drop-off_Day_June_25_at_DeIDOT_Area_9_maintenance_yard_in_Middletown.aspx)

### **UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:**

**SOURCE WATER PROTECTION CITIZEN AND TECHNICAL ADVISORY COMMITTEE MEETING CANCELLED** - The June meeting of the Source Water Protection Citizen and Technical Advisory Committee has been cancelled. The next meeting of the committee will be held September 14, 2011, from 9 a.m. to noon in the Kent County Administration Building, in room 220. For additional information, please contact Doug Rambo at (302) 739-9945 or visit: <http://www.dnrec.delaware.gov/News/Pages/SourceWaterProtectionCitizenandTechnicalAdvisoryCommitteemeetingcancelled.aspx>

### **DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:**

**PUBLIC NOTICE - PERMITS PENDING** - The Solid and Hazardous Waste Management Branch (SHWMB) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware:

A&D Environmental Services, Inc.; A&D Environmental Services (S.C.), LLC;  
Banta's Bestway Trash Remove All Company; Better Management Corporation

of Ohio, Inc.; EnviroServe; K.R.C. Waste Management, Inc.; Ninalita Trucking, LLC; S&T Trucking Company; UNIVAR USA, Inc.; Yannuzzi & Sons, Inc.

A public hearing concerning the above applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by June 9, 2011. For additional information please contact Kenneth F. Green at (302) 739.9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1104&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

B&B Trucking Service, LLC; BFI Waste Services, LLC dba Allied Waste Services of Delmar, A Republic Services Company; Ecology Services; Tinari Contractors, Inc.; Triumvirate Environmental, Inc.

A public hearing concerning the above applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by June 16, 2011. For additional information please contact Kenneth F. Green at (302) 739.9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1114&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**BROWNFIELDS DEVELOPMENT PROGRAM** – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Section (SIRS) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRS's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR NEW CASTLE GAS COMPANY SITE (DE-0167)** – The Site Investigation and Restoration Section

(SIRS) negotiated a Brownfields Development Agreement (BDA) with Medori Enterprises regarding the New Castle Gas Company Site (Site), formerly known as Brosius-Eliason, located at 508 South and 0 West 7th Street in New Castle. Known by New Castle County as tax parcel numbers 21-014.00-390, 21-014.00-409, 21-014.00-482 and 21-015.00-056, the Site may have had a release of hazardous substances as a result of past industrial use that included operating a steel company, gasoline and fuel oil storage and dispensing, coal storage and delivery for over a century. The public comment period begins on May 31, 2011 and will close on June 20, 2011. For additional information, please contact Stephen Johnson at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1110&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE MIDDLETOWN MANOR SITE (DE-1483)** – The Site Investigation and Restoration Section

(SIRS) negotiated a Brownfields Development Agreement (BDA) with 508 South Street, LLC regarding the Middletown Manor Site (Site). The approximate 1.40 acre Site is located at 0 and 17 Wood Street in Middletown, and is made up of two New Castle County tax parcels 23-005.00-017 and 23-005.00-038. The Site may have had a release of hazardous substances as a result of past use containing historical fill. The public comment period begins on May 31, 2011 and will close on June 20, 2011. For additional information, please contact Todd Keyser at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1109>

<http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAIItems%2Easpx&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER INSTEEL WIRE SITE (DE-1507) –**

The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Development Agreement (BDA) with Port Properties, LLC regarding the Former Insteel Wire Site (Site) located at 700 New Castle Avenue in Wilmington. Known by New Castle County as tax parcel number 26-058.00-012 and another 0.885 acre parcel known as Parcel B on the Land Title Survey for Insteel Wire Products, File number 34302-B, dated December 13, 1999, the 33.108 acre Site may contain hazardous substances as a result of past use that included an industrial facility for bulk storage of chemical (acids, caustics, gasoline, kerosene and hydrogen sulfide) in tanks across the Site and an oil spill that was cleaned up in 2000. Past environmental investigations at the Site revealed unacceptable levels of polyaromatic hydrocarbons, lead and arsenic in Site soils. The public comment period begins on May 31, 2011 and will close on June 20, 2011. For additional information, please contact Larry Jones at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1105&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

**FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATION -**

Notice is hereby given that the following have filed an application:

DuPont Red Lion Plant having a facility at 766 Governor Lea Road, Delaware City, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for the construction of molten sulfur facilities and modification of the existing plant to allow for the co-feed of molten sulfur. This capability is needed to replace Gasifier Acid Gas, previously supplied by the Valero refinery, but not available from the Delaware City Refining Company. The DuPont Red Lion Plant’s permitted emission limits will remain the same. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility’s existing Title V permit AQM-003/00673 via an Administrative Amendment. A public hearing on the application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by June 14, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1095&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Mike Davidson Enterprises, LLC having a facility at 3051 Willow Grove Road, Camden-Wyoming, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for a wood waste processing line to grind and classify various sizes of wood chips. Permitted emissions are 7.07 TPY PM, 4.29 TPY PM<sub>10</sub>, 1.09 TPY SO<sub>x</sub>, 4.20 TPY NO<sub>x</sub>/VOC, and 2.10 TPY CO. Operating hours for one of the grinders and a distributed generator have been restricted to 1,120 hours/year to comply with Minor New Source Review for NO<sub>x</sub>. Upon completion of

construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit (APC-2011/0094) into the facility's existing synthetic minor permit APC-2007/0105-OPERATION via Administrative Amendment. A public hearing on the application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by June 28, 2011. For additional information, please visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1108&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Rohm and Haas Electronic Materials CMPT, Inc. having a facility at 451 Bellevue Road, Newark, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for installation of a new pad conditioner with associated dust collection control. The permit will limit the quantity of urethane particulate the only emission to 0.37lbs/hour and 0.25 tons/year. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-003/00033 (RENEWAL 2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by July 6, 2011. For additional information, please visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1116&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

University of Delaware having a facility at Bob Carpenter Center, Newark, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for 3 natural gas boilers. The permit will limit fuel usage on these 3 boilers and restrict hours of operation for 100 hours per year on DBI Emergency Generator so that NSR is not applicable to the facility. The actual emissions from these 3 boilers shall not exceed 0.05 TPY of SOx, 2.5 TPY of NOx, 4.2 TPY of CO, 0.38 TPY of PM, & 0.28 TPY of VOCs based on twelve month rolling period. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-003/00022(Renewal 2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by July 6, 2011. For additional information, please visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1115&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS** - Notice has been given that Summit Aviation requests a natural minor permit to construct a paint spray booth and associated heaters at the Summit Airport located at 4200 Summit Bridge Road in Middletown. The paint booth has the potential to emit (PTE) 1.73 tons per year of VOC's and 0.28 tons per year of PM emissions from aerospace coating operations and 3.44 tons per year of NOx, 2.89 tons per year of CO, 0.27 tons per year of PM, 0.02 tons per year of SOx and 0.38 tons per year of TOC from the paint booth heaters. By Permit# 2011/0152-CONSTRUCTION actual emissions will not exceed 1.73 tons per year of VOC's and 0.0015 tons per year of PM emissions from aerospace coating operations and 0.20 tons per year of NOx, 0.16 tons per year of CO, 0.015 tons per year of PM, 0.0011 tons per year of SOx and 0.022 tons per year of VOCs from the paint booth heaters. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by June 13, 2011. For additional information, please visit:  
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1107>

<http://www.dnrec.delaware.gov/Lists/FPublic/2520Notices/2520Notices.aspx>

**TITLE V PERMIT RENEWAL APPLICATIONS** - Notice is hereby given that FP International, Inc. having a facility at 111 Alan Drive, Newark, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00037- Renewal 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal will replace Permit AQM-003/00037 Renewal 1 Revision 2, which expires April 25, 2012. Emissions of air pollutants have not increased as a result of renewing the permit. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for such hearing by June 28. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public/20Notices/DispForm.aspx?ID=1106>  
<http://www.dnrec.delaware.gov/Lists/Public/20Notices/DispForm.aspx?ID=1106>

**WATER PERMITTING PROGRAM** - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

#### **WELL PERMITS**

St. Andrews School needs to construct an irrigation well. The well is to be 140' deep and 8 inches in diameter. The well site is located east of Noxontown road and south of Silver Lake Road. The well is about two miles from Middletown. The desired capacity of this well is 500 gpm.

Norman Davidson needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. The site is located on the north side of Hudson road and west of Piney Neck road. The well is in Dagsboro. The desired capacity of this well is 500 gpm.

N. Donald Patterson needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. The site is located on the east side of Rt 594 and north of CR 224. The well is 4 miles from Milford. The desired capacity of this well is 600 gpm.

H. Robert Messick needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. This well site is located north of Redden road and west of CR 594. The well is about 3 miles from Bridgeville. The desired capacity of this well is 600 gpm.

Capitol School District needs to construct a dewatering system. The system is for 40 points that are 5' apart and 24' deep. The site is on Rt 8 and is to install sewer for the new school. The discharge water will be sent to an existing ditch



and then Cahoon Branch. The system is in the town limits of Dover. The desired capacity of this system is 400 gpm.

New Castle County needs to construct a dewatering system. The system is for 75 points that are 3' apart and 20' deep. The site is between Hamilton and Clinton Streets. The discharge water will be sent to the storm sewer. The system is in the town limits of Delaware City. The desired capacity of this system is 200 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 19, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1100&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

John Gundry needs to construct an irrigation well. The well is to be 100' deep and 12 inches in diameter. The site is located on the west side of Woodland Church road and south of Bowman road. The well is about 7 miles south west of Seaford. The desired capacity of this well is 800 gpm. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 29, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1111&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**FORMAL VARIANCE** – The following have filed an application:

Sharon Sweeney has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and use of Wells to the construction of an unconfined well. The property is located on the south east side of CR 284 Felton, on tax map parcel SM-00-138.00-02-11.00. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 19, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1100&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Mary Windsor needs to construct an irrigation well. The well is to be 100' deep and 8 inches in diameter. The site is located on the south side of Rt 24. The well is about 2 miles from Laurel. The desired capacity of this well is 500 gpm.

Delmar School District needs to construct an irrigation well. The well is to be 80' deep and 8 inches in diameter. The site is located on the north side of 9th street and east side of Rt 13. The well is located in the town limits of Delmar. The desired capacity of this well is 500 gpm.

A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 20, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1117&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Donald Eschenbrenner has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and Use of Wells to reclassify well permit #235574 from its current domestic well classification to a public well to facilitate a bed and breakfast. The property is located on the North Side of Nottingham Road (RT273) and South Side of Virginia Avenue on tax map parcel 09-013.10-023. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 29, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1111&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**SUBAQUEOUS LANDS PERMIT APPLICATIONS** – The following have submitted applications:

Donald Short-To maintain an 11 by 19 foot pier section with an 11 by 12 foot covering, a 5 by 52 foot pier section, and a 13 by 11 foot dock in the Indian River at 32089 River Road, Riverdale, Millsboro.

Debra L. Jahnigen-To repair a 6 by 49 foot pier section and construct a 6 by 40 foot dock and two 6 by 30 foot finger piers in Pepper Creek at Parcel 173, Pepper Vine Point, Point Farm Subdivision, Dagsboro.

Sussex County Engineering Department (linear project) – To install sections of a parallel force main via directional bore under Dirickson Creek at Old Mill Bridge Road and Miller Creek at Double Bridges Road to upgrade the Fenwick Island Sanitary Sewer District service area near Frankford.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by June 22, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1101&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**WETLANDS APPLICATION** – An application has been filed by the New Castle County Special Services-To replace two sanitary sewer lines with one 455 linear foot section of 24 inch diameter pipe and one 550 linear foot section of 18 inch diameter pipe in State-regulated wetlands between 14th Street and Skelton Drive, in New Castle. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by June 22, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1101&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATIONS** - The following have filed an application:

The New Castle County Department of Special Services and Silver Maple Farms, Inc., to construct wastewater facilities consisting of gravity sewers and manholes; a submersible pump station with dual pumps, piping, controls and accessories; and an on-site and off-site force main

that will collect and convey sewerage from the proposed Silver Maple Farm residential subdivision, located on the south side of Bayview Road (Road 423, also known as McDonough Road), approximately one (1) mile east of DuPont Highway (U.S. Routes 13 and 301, Road 22), southeast of Boyd's Corner, St. Georges Hundred.

The Town of Middletown and Johnson Controls, Inc., to construct a wastewater pretreatment system that includes various process tanks, pH adjustment processes, filters, pumps, controls, flow meters and related equipment associated with the operation of the Johnson Controls Power Solutions Middletown Distribution Center, located at 50 Patriot Drive, Lot #17, Middletown.

A public hearing concerning the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on June 16, 2011. For additional information, please contact Molly Mackil (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1113&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

### **CONTACT INFORMATION:**

24-Hour Report and Spill Notification Line - 1-800-662-8802  
Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-744-2735  
Brownfields - 302-395-2600  
Delaware Estuary Program - 302-739-9949  
Division of Air Quality Director's office - 302-739-9402  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Director's Office - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Hazardous Waste - 302-739-9403  
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2515  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561  
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Stormwater Permits - 302-739-9946  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946



Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944